THE HARMONY OF NATURAL HARMONIES.





VTA CERAMICHE creativita infinita

wood plank 200 X 1200 By mould







BURNT WOOD



















HD Clarity



zero Maintenance


Friendly

Digital Print

Applicable On Wall & Floor



























CLARA WOOD COFFEE









Maintenance







Design

Digital Print Random

HD Clarity

2

Applicable On Wall & Floor









zero

Maintenance





Friendly



Design













FLOREST BEIGE



















2

HD Clarity



zero Maintenance


Friendly

Digital Print

Applicable On Wall & Floor



























LETINA BROWN







zero Maintenance





Friendly



Design





















MAGIC GRIS







zero

Maintenance








Digital Print



HD Clarity







zero Maintenance Eco

Friendly

Random Design


Digital Print


























Applicable On Wall & Floor



zero Maintenance

Eco Friendly

Design

Digital Print









NORTHWOOD CREMA

MATT



NORTHWOOD CREMA DECOR,





zero Maintenance



Eco

Friendly









Applicable On Wall & Floor

Random Design

Digital Print






























































zero Maintenance





Friendly







Applicable On Wall & Floor




HD Clarity














200X 1200 mm MATT

APRICOT ASH (PUNCH)




















zero Maintenance

Eco Friendly Random Design

Digital Print



















HD Clarity



zero Maintenance


Eco Friendly Random Design

Digital Print



















Applicable On Wall & Floor



HD Clarity




zero Maintenance

Eco Friendly Random Design











zero

Maintenance



Friendly



Design







































HD Clarity

zero Maintenance

Eco Friendly

Digital Print

Applicable On Wall & Floor



MATT



ASTONE SILVER (PUNCH)







zero Maintenance



Eco

Friendly



Design




























HD Clarity

CHELSEA AVENUE (PUNCH)





zero Maintenance


Eco Friendly

Random Design

















Design









zero Maintenance

Eco Friendly


Digital Print

Applicable On Wall & Floor









ELEGANT BEIGE (PUNCH)



















zero Maintenance

Friendly

Design

Applicable On Wall & Floor







NOVA HONEY (PUNCH)



















zero Maintenance


Eco Friendly Random Design

Digital Print

Applicable On Wall & Floor



















HD Clarity










zero Maintenance

Eco Friendly Random Design

Digital Print







zero Maintenance

Eco Friendly

Random Design Digital Print


Applicable On Wall & Floor


凲





















Applicable On Wall & Floor

HD Clarity

zero Maintenance

Eco Friendly Random Design







Sr.No.	Property	International Std. ISO 13006/EN 176 Group	Our Value	Method of Testing
1	Deviation In Length	+/-0.6%	+/-0.3%	ISO 10545 Pt 2
2	Deviation In Thickness	+/-5%	+/-3%	ISO 10545 Pt 2
3	Straightness of sides	+/-0.5%	+/-0.1%	ISO 10545 Pt 2
4	Rectangularity	+/-0.6%	+/-0.2%	ISO 10545 Pt 2
5	**Surface flatness	+/-0.5%	+/-0.2%	ISO 10545 Pt 2
6	Water absorption	2-4%	2-3%	ISO 10545 Pt 3
7	*Mohs hardness	>6	>6	EN 101
8	Flexural Strength	>35N/mm²	³ 46N/mm ²	ISO 10545 Pt 4
9	Abrasion resistance	<175mm ²	<144mm ²	ISO 10545 Pt 6
10	**Skid resistance (Friction coeffient)	>0.4	>0.4	ISO 10545 Pt 17
11	Breaking strength	1113 N	2800 N	ISO 10545 Pt 4
12	Frost resistance	Frost proof	Frost proof	ISO 10545 Pt 12
13	Chemical resistance	No Damage	No Damage	ISO 10545 Pt 13
14	Thermal shock resistance	No Damage	No Damage	ISO 10545 Pt 9
15	Colour resistance	No Damage	No Damage	DIN 51094
16	Stain resistance	Resistance	Resistance	ISO 10545-14
17	Moisture expansion	Nil	Nil	ISO 10545-10
18	Resistance to Surface Abrasion (of tiles intended for use on Floors)***	Abrasion class shall be specified by the manufacturer	PEI Group V	ISO 10545-7 IS : 13630-11

PACKING DETAILS

Sr.No.	Size	No. of Tiles Per Box	Coverage Area in Sqm.	Approx. Weight / Box
1	200x1200 mm	5 Pc	1.2 Sqm.	25.5 Kg.

APPLICATIONS







+91 75671 00666 export@vtaoverseas.com www.vtaoverseas.com